COLUMBIA®

PRODUCT LINEUP

www.columbia-canada.com

COLUMBIA Heritage

Lawn tractors

Beyond your expectations...

Columbia Heritage

With more than 30 years of engineering experience. COLUMBIA definitely lives up to its reputation!

MODELS	C 76GF / LT 538G	LT 542H	V90GS / YT 542K
Engine Type	Briggs Power Built™ OHV 12.5 hp* (344 cc)	Briggs Power Built™ OHV 17.5 hp* (500 cc)	Kohler® OHV 18 hp* (597 cc)
Cylinders	Single	Single	Single
Transmission	Shift-on-the-go, 6 speed / 7 speed	Hand controlled hydro transmission	Foot controlled auto (CTV) trans.
Cruise Control	-	-	Standard
Front axle	Steel	Steel	Cast iron
Turning radius	18"	18"	15"
PTO clutch	Manual	Manual	Manual
Seat	Low back	Mid back	High back
Cutting width/blades	38", 2 blades	42", 2 blades	42", 2 blades
Mulch kit	Optional	Optional	Optional
Wheels	Front 15" x 6" Rear 20" x 8"	Front 15" x 6" Rear 20" x 8"	Front 15" x 6" Rear 20" x 8"

MODELS AVAILABLE FOR LARGER PROPERTIES

DECK WASH SYSTEM

The tractor's deck surface is equipped with a water port as part of its deck wash system. We recommend the use of the Deck Wash System after each use to rinse grass clippings from the deck's underside, prevent the buildup of corrosive chemicals and maximize velocity for an impeccable cut.

MODELS	YT 946KH	YT 950KH
Engine Type	Kohler® OHV 22 hp* (725 cc)	Kohler® OHV 24 hp* (725 cc)
Cylinders	V-Twin	V-Twin
Transmission	Foot controlled hydro transmission	Foot controlled hydro transmission
Cruise Control	Standard	Standard
Front axle	Cast iron	Cast iron
Turning radius	15"	15"
PTO clutch	Manual	Electric
Seat	High back	High back
Cutting width/blades	46", 2 blades	50", 3 blades
Mulch kit	Optional	Optional
Wheels	Front 15" x 6" Rear 20" x 8"	Front 15" x 6" Rear 20" x 10"

* Deck Wash System available on certain models:
V90GS / YT 542K / YT 946KH / YT 950KH / GT 5025 / GT 5427

COLUMBIA®

Welcome to the new generation of lawn tractors

INTRODUCING OUR NEW CR30 NEIGHBORHOOD RIDER!

The CR30 features a 30" cutting deck, 6-speed transmission, and a mid back seat that makes it easier than ever to get on and off your riding lawn mower. With a smaller frame and 18" turning radius, the CR30 Neighborhood Rider couples the benefits of a standard riding mower with the size of a wide cut walk-behind.

NEW STYLE OF LAWN TRACTOR

Lawn tractors feature a 38" / 42" cutting deck. Ideal for maintaining properties up to 2.5 acres.

OPERATOR CONTROLLED REVERSE SYSTEM FOR ADDED SAFETY

Allows cutting in forward and reverse.

MODELS	CR30	LT 3812	YT 4220	YT 4220 SE
Engine Type	Briggs Power Built™ OHV 11.5 hp* (344 cc)	Briggs Power Built™ OHV 12.5 hp* (344 cc)	Kohler® OHV 20 hp* (597 cc)	Kohler® OHV 20 hp* (725 cc)
Cylinders	Single	Single	Single	V-Twin
Transmission	6 speeds	7 speeds	Foot controlled hydro transmission	Foot controlled hydro transmission
Cruise Control	-	-	Standard	Standard
Front axle	Steel	Steel	Cast iron	Cast iron
Turning radius	18"	15"	15"	15"
PTO clutch	Manual	Manual	Manual	Electric
Seat	Mid back	Low back	High back, with adjustable lever	High back, with adjustable lever
Cutting width/blades	30", 1 blade	38", 2 blades	42", 2 blades	42", 2 blades
Mulch kit	Optional	Optional	Optional	Optional
Wheels	Front 13" x 5" Rear 16" x 6,5"	Front 15" x 6" Rear 20" x 8"	Front 15" x 6" Rear 20" x 8"	Front 15" x 6" Rear 20 x 8"

COLUMBIA

Sleek and modern appearance

3 YEAR WARRANTY

MORE POWER, MORE VERSATILITY

Garden tractors feature a 50" or 54" cutting deck, a high back seat with armrests and are ideal for maintaining properties up to 4 acres.

COLUMBIA® ACCESSORIES

Reliability and versatility from season to season

A wide variety of accessories are available. Contact your dealer for more information.

KOHLER® ENGINE

Every part, every component and every system on our engines are guided by Kohler's exclusive Performance Engineering. It's your assurance that every engine produced will live up to and build upon KOHLER'S worldwide reputation for excellence.

MODELS	GT 5025	GT 5427
Engine Type	Kohler® OHV 25 hp* (725 cc)	Kohler® OHV 27 hp* (725 cc)
Cylinders	V-Twin	V-Twin
Transmission	GT- Foot controlled hydro transmission	GT- Foot controlled hydro transmission
Cruise control	Standard	Standard
Front axle	Cast iron	Cast iron
Turning radius	18"	18"
PTO clutch	Electric	Electric
Seat	High back with armrests	High back with armrests
Cutting width/blades	50", 3 blades	54", 3 blades
Mulch kit	Optional	Optional
Wheels	Front 16" x 7.5" Rear 23" x 10.5"	Front 16" x 7.5" Rear 23" x 10.5"

COLUMBIA®

Zero-turn rider

Model : ZT42

Model : ZT54

COLUMBIA ZERO-TURN RIDERS ARE EQUIPPED WITH POWERFUL KOHLER ENGINES, DUAL LEVER CONTROLS AND 360° TURN CAPABILITY TO GET THE JOB DONE FASTER.

COLUMBIA ZERO-TURN RIDERS PROVIDE ULTIMATE MANEUVERABLILITY. IDEAL FOR MAINTAINING PROPERTIES UP TO 4 ACRES.

MODELS	ZT42	ZT50	ZT54
Engine Type	Kohler® Courage OHV 22 hp* (725 cc)	Kohler® Courage OHV 25 hp* (725 cc)	Kohler® Courage OHV 26 hp* (725 cc)
Cylinders	V-Twin	V-Twin	V-Twin
Transmission	Dual Hydro-Gear™ EZT	Dual Hydro-Gear™ EZT	Dual Hydro-Gear™ ZT-2800
Fuel Capacity	3 Gallons	3 Gallons	3 Gallons
Front axle	Fabricated Steel	Steel / Pivoting	Steel / Pivoting
Turning radius	Zero	Zero	Zero
PTO clutch	Electric	Electric	Electric
Seat	High-back, lever adjustable	High-back, lever adjustable	High-back, lever adjustable
Cutting width blades	42", 2 blades	50", 3 blades	54", 3 blades
Mulch kit	Optional	Optional	Optional
Wheels	Front 11" x 4" Rear 18" x 8.5"	Front 13" x 5" Rear 18" x 9.5"	Front 13" x 5" Rear 20" x 10"

Walk-behind mowers

PUSH MOWERS

MODELS	A40	A09	B03	B29
Engine Type	Briggs & Stratton® 148 cc	Honda® 160 cc	Briggs & Stratton® OHV 140 cc	Honda® 160 cc
Engine start	Recoil	Recoil	Recoil	Recoil
Cutting width	21"	21"	21"	21"
Drive	Push	Push	Push	Push
Height adjusters	4 position, manual	Dual lever adjusters, 6 position	Dual lever adjusters, 6 position	Dual lever adjusters, 6 position
Handle	Adjustable loop	Adjustable loop	Adjustable loop	Adjustable loop
Capability	Side discharge	Side discharge, mulch	Side discharge, mulch	3-in-1
Deck wash	No	No	No	Yes
Rear bag	-	-	-	Standard
Wheels	Front 7" Rear 7"	Front 7" Rear 8"	Front 7" Rear 11"	Front 7" Rear 11"

Columbia® believes it's important to respond to the ever changing needs of our customers. That's why we offer a full line of push mowers and self-propelled mowers. Each is engineered to offer maximum performance and durability.

HONDA ENGINES

Honda Engines offer :

- Honda's GCV engine is one of the most efficient and cost effective engines available
- Fast, easy and reliable starting
- The lightest engines in their class
- Quieter operation and improved sound quality

Self-Propelled Mowers

MODELS	VB29	VD39	VD39E
Engine Type	Honda® 160 cc	Honda® 160 cc	Honda® 160 cc
Engine start	Recoil	Recoil	Electric
Cutting width	21"	21"	21"
Drive	FWD, variable speed	RWD, 4 speed	RWD, 4 speed
Height adjusters	Dual lever adjusters, 6 position	Single lever adjuster, 6 position	Single lever adjuster, 6 position
Handle	Adjustable loop	Adjustable ergo	Adjustable ergo
Capability	3-in-1	3-in-1	3-in-1
Deck wash	Yes	Yes	Yes
Rear bag	Standard	Standard	Standard
Wheels	Front 8" Rear 11"	Front 8" Rear 11"	Front 8" Rear 11"

COLUMBIA®
Tillers

TILLERS

Columbia® tillers are engineered to run smoothly while still delivering the power needed to cut through the toughest soil. The result is a fresh, fertile seedbed that's ready for whatever you want to grow.

Model: 455

SIMPLE SINGLE HAND OPERATION

Our unique handle design allows you to walk beside the tilling path for the ultimate in maneuverability and a ready-to-plant seedbed.

TILLER ENGINES

Our tiller engines produce superior torque and reduced emissions for increased productivity and fuel efficiency.

13" DUAL DIRECTION, SELF-SHARPENING TINES

Provide fine cultivating and seedbed preparation, plus superior ground breaking in hard-packed soil. You can turn the hardest earth into fertile soil.

Model: 39M

TILLING WIDTH

An extra-wide 24" tilling width covers more ground per pass and an ample 6" tilling depth will leave your garden ripe for planting.

PLANT PROTECTION DISCS

Garden with peace of mind knowing that your hard work is protected from the tiller tines when cultivating.

GARDENING IS MEANT TO BE A RELAXING AND PLEASURABLE EXPERIENCE !

MODELS	39M	455
Engine Type	MTD OHV	Honda® GC190 OHC
Power	208 cc	187 cc
Transmission	Forward rotating tines with power reverse	Self-propelled forward and reverse with dual rotation tines.
Tines	12"	13"
Tilling width	Ajustable at 13"/ 22" / 24"	18"
Handle	Ajustable	Ajustable
Tires	8" steel wheel	16" pneumatic ag tread

COLUMBIA®

Dealer advantage

Your **Columbia**® dealer is a certified outdoor power equipment expert. Most importantly, they service the product and stand by it long after the sale. Ask your Columbia dealer specialist how to select the product that will best suit your needs.

By purchasing a COLUMBIA® product, you are choosing reliability, value, performance and quality. From our walk-behind mowers to our zero-turn riders, every model is designed to meet your needs. The Columbia promise is to deliver a superior customer service experience.

With more than 30 years of engineered experience, COLUMBIA® lives up to its reputation.

WWW.COLUMBIA-CANADA.COM

Product availability and specifications subject to change without notice. Images may not reflect dealer inventory and/or unit specifications. For your safety and the safety of others, please read and understand the owner's manual before operating outdoor power equipment. Availability varies per dealer.
* The engine horsepower information is provided by the engine manufacturer, to be used for comparison purposes only.

C-13